

XK SERIES KEYPADS



XK-406 6 Zone LED Keypad

- 6 Zone LED Surface Mount Keypad
- Convenient four wire installation
- Includes a white opaque door, optional smoked glass door
- Dedicated function keys minimize keystrokes
- Dual button emergency keys

- Soft touch backlit keys
- Keypad dimensions: 6 1/8" x 5" x 1 1/8"
- Compatible with XL-2, XL-2S, XL-2G



XK-4LC LCD Keypad

- 2 line by 16 character English language readout
- Convenient four wire installation
- Large supertwist backlit LCD display provides wide viewing angle and exceptional readability
- Includes a white opaque door, optional smoked glass door

- Dedicated function keys minimize keystrokes
- Dual button emergency keys
- Soft touch backlit keys
- Keypad dimensions: 6 1/8" x 5" x 1 1/8"
- Compatible with XL-2, XL-2S, XL-2G



XK-508 8 Zone LED Keypad

- 8 Zone LED Surface Mount Keypad
- Convenient four wire installation
- Includes a white opaque door, optional smoked glass door
- Dedicated function keys minimize keystrokes
- Dual button emergency keys

- Soft touch backlit keys
- Keypad dimensions: 6 1/8" x 5" x 1 1/8"
- Compatible with XL-2P, HC-41



XK-512 12 Zone LED Keypad

- 12 Zone LED Surface Mount Keypad
- Convenient four wire installation
- Includes a white opaque door, optional smoked glass door
- Dedicated function keys minimize keystrokes
- Dual button emergency keys

- Soft touch backlit keys
- Keypad dimensions: 6 1/8" x 5" x 1 1/8"
- Compatible with XL-31



XK-516 16 Zone LED Keypad

- 16 Zone LED Surface Mount Keypad
- Convenient four wire installation
- Includes a white opaque door, optional smoked glass door
- Dedicated function keys minimize keystrokes
- Dual button emergency keys

- Soft touch backlit keys
- Keypad dimensions: 6 1/8" x 5" x 1 1/8"
- Compatible with XL-4, XL-4CPO



XK-5LC LCD Keypad

- 2 line by 16 character English language readout
- Convenient four wire installation
- Large supertwist backlit LCD display provides wide viewing angle and exceptional readability
- Includes a white opaque door, optional smoked glass door

- Dedicated function keys minimize keystrokes
- Dual button emergency keys
- Soft touch backlit keys
- Keypad dimensions: 6 1/8" x 5" x 1 1/8"
- Compatible with XL-2P, XL-31, XL-4, XL-4CPO, HC-41

All keypads have private labeling capability.

NOTE: 1. XK-406, XK-4LC keypads cannot be used on the same system as XL series keypads.
2. Keypad programming requires use of either XK-108 (hardwired only) or XK-7LC keypads.


X K S E R I E S K E Y P A D S



XK-108
8 Zone
LED
Keypad

- 8 Zone LED Surface Mount keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Includes a white opaque door, optional smoked door
- Surface mount installation to single or double gang box or attach directly to control panel enclosure
- Soft touch backlit keys
- Keypad dimensions: 4¹/₂"W x 4¹/₂"H x 3/4"D
- Compatible with HC-41 (Hardwire only), XL-2P

NOTE: Cannot be used on HC-41 installations which contain the wireless receiver



XK-708
8 Zone
LED
Keypad

- 8 Zone LED Surface Mount keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Surface or partial recess mounting
- Attractive backlit keypad
- Dedicated function keys minimize keystrokes
- Keypad dimensions: 6⁵/₈"D x 4⁵/₈"H x 1"D
- Compatible with XL-2P, HC-41



XK-716
16 Zone
LED
Keypad

- 16 Zone LED Surface Mount keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Surface or partial recess mounting
- Attractive backlit keypad
- Dedicated function keys minimize keystrokes
- Keypad dimensions: 6⁵/₈"W x 4⁵/₈"H x 1"D
- Compatible with XL-31, XL-4, XL-4CPO, HC-41



XK-7LC
LCD
Keypad

- Two line by sixteen character English language readout
- Convenient four wire installation
- Large supertwist backlit LCD display provides wide viewing angle and exceptional readability
- Surface or partial recess mounting
- Dedicated function keys minimize keystrokes
- Keypad dimensions: 6⁵/₈"W x 4⁵/₈"H x 1"D
- Compatible with XL-2P, XL-31, XL-4, XL-4CPO, HC-41

XL SERIES KEYPADS



XL-4600RM 6 Zone LED Keypad

- 6 Zone LED based keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Flush mounts into standard double gang outlet box, or directly into control panel enclosure
- Includes trim ring (XL4600TR) for flush mounting directly into wall

- Simplified user operation, four dedicated function keys minimize keystrokes
- Keypad dimensions: 4 1/2" W x 4 1/2" H x 3/4" D
- Compatible with XL-2, XL-2S, XL-2G



XL-4600SM 6 Zone LED Keypad

- 6 Zone LED Surface Mount keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Includes both a white opaque door, optional translucent door
- Surface mount installation to single or double gang box or attach directly to control panel enclosure

- Soft touch backlit keys
- Dedicated childproof emergency keys (up to three conditions depending on control panel)
- Also available in Spanish (XL4600SMSP), Italian (XL4600SMIT), French (XL4600SMFR)
- Keypad dimensions: 4 1/2" W x 4 1/2" H x 1" D
- Compatible with XL-2, XL-2S, XL-2G



6615 6 Zone LED Keypad

- 6 Zone LED based keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Surface or partial recess mounting
- Attractive backlit keypad
- Dedicated function keys minimize keystrokes

- Keypad dimensions: 6 5/8" W x 4 5/8" H x 1" D
- Compatible with XL-2, XL-2S, XL-2G



6805 LCD Keypad

- (LCD) features two line by sixteen character English language readout
- Convenient four wire installation
- Supertwist backlit LCD display provides wide viewing angle
- Surface or partial recess mounting
- Attractive backlit keypad
- Dedicated function keys minimize keystrokes

- Keypad Dimensions: 6 5/8" W x 4 5/8" H x 1" D
- Compatible with XL-2, XL-2S, XL-2G



XL-4612RM 12 Zone LED Keypad

- 12 Zone LED based keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Flush mounts into standard double gang outlet box, or directly into control panel enclosure
- Includes trim ring (XL-4600TR) for flush mounting directly into wall

- Capability using optional backbox (model number XL-4600RMBX)
- Simplified user operation, four dedicated function keys minimize keystrokes
- Keypad dimensions: 4 1/2" W x 4 1/2" H x 3/4" D
- Compatible with XL-31



XL-4612SM 12 Zone LED Keypad

- 12 Zone LED based keypad
- Convenient four wire installation
- Separate indicator lights for zone and system status
- Includes a white opaque door, optional smoked glass door
- Surface mount installation to single or double gang box or attach directly to control panel enclosure

- Soft touch backlit keys
- Keypad dimensions: 4 1/2" W x 4 1/2" H x 1" D
- Compatible with XL-31

KEYPADS

F B I I P A N E L S

	XL-2	XL-2S	XL-2G	XL-2P	XL-31	XL-4	XL-4CPO	HC-41
XK-406	✓	✓	✓					
XK-4LC	✓	✓	✓					
XK-508				✓				✓
XK-512						✓		
XK-516						✓	✓	
XK-5LC				✓	✓	✓	✓	✓
XK-108					✓			(Hardwired only) ✓
XK--708					✓			✓
XK-716						✓	✓	
XK-7LC				✓	✓	✓	✓	✓
XL-4600RM	✓	✓	✓					
XL-4600SM	✓	✓	✓					
XL-4612RM					✓			
XL-4612SM					✓			
6615	✓	✓	✓					
6805	✓	✓	✓					



FIRE BURGLARY INSTRUMENTS, INC.

A Subsidiary of Pittway Corp.
149 Eileen Way, Syosset, NY 11791
800-645-5430 • 516-921-8666